ATLAS & CLAY

MELANGE

TECHNICAL DATA

DECO-TILE

Variation, Usage & Technical Information - Terracotta Field/Zellige Field

Variation

Terracotta and Zellige tiles are made entirely by hand, and each piece/sheet will show variation in color and texture. The following characteristics are intended in this product and are part of its overall aesthetic.

- Chips off the surface of the tile, exposing clay underneath
- Uneven edging of the tile
- Wide variation in color and shade
- Lime pops that expose the substrate
- Thickness variation
- Size variation from piece to piece

Variation between samples and tiles received is possible, as handmade techniques of glazing make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only. Driftwood Design Lab will not honor any claims made for these characteristics listed above if claimed as defects.

Mélange Cotto Tile (Rouge and Blonde) + Zellige Tile - Recommended Usage

Wall Application	Suitable
Interior Wall/Backsplash	Yes*
Fireplace/Cooktop Surround	Yes**
Shower Wall***	Yes*
Steam Shower	No
Exterior Wall	Yes***
Pool, Spa or Water Feature (fully submerged)	No

Floor Application	Interior	Exterior
Shower	No	No
Light Residential	Yes	Yes*,***
Residential (Cotto only, not Zellige)	Yes	Yes*,***
Light Commercial (Cotto only, not Zellige)	Yes	Yes*,***

Application Notes	Floor Application Definitions
* With proper sealing and maintenance per setting material and sealer manufacturer recommendations. ** Acceptable for limited and sporadic exposure near open flame or heat source, including fireplace wall/cooktop surround. It is not recommended for placement inside a firebox. *** **ONLY** acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing. Outdoor Residential Floors - Note: when used for an exterior floor Cotto + Zellige will develop a natural patina over time and is to be expected. Chipping, cracking and increased wear are natural when placed in an exterior environment.	Light Residential - For residential areas with light foot traffic. It can include a bathroom, bedroom, formal dining, and living room. Please note the following: suitable for soft soled shoes, hard soled shoes and heels should be avoided. The floor must be kept clean from abrasive debris (gravel, mud, salt, etc.) Immediately clean all stains. Residential - For residential areas with continuous foot traffic. It can include entry, hallway, kitchen, foyer, laundry, and mud rooms. Please note the following: the floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains. Light Commercial - For commercial areas with light foot traffic. It can include commercial offices, doctor's offices, and boutiques. Please note the following: The floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.

Notes
Since variations are common in handmade terracotta + Zellige tile, we recommend final selection be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. All Mélange Cotto tiles must be sealed before grouting with a high-quality penetrating sealer. Installation constitutes acceptance. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed). MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner or any non-abrasive cleaning solutions.

*Refer pages 4 & 5

Variation, Usage & Technical Information - Natural Stone

Variation

Mélange Natural Stone tiles are products of nature and no two tiles will look exactly alike. Please accept the following characteristics, which are intended and part of the product's appeal.

- Variation in color
- Variation in veining
- Appearance of fossils and other inclusions
- Variation in movement of color and grain size
- Slight variation in surface finish

Variation betweensamples and tiles received is possible, as handmade techniques of glazing make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only. Driftwood Design Lab will not honor any claims made for these characteristics listed above if claimed as defects.

Mélange Limestone Tile - Recommended Usage

Wall Application	Suitable
Interior Wall/Backsplash	Yes*
Fireplace/Cooktop Surround	Yes**
Shower Wall	Yes*
Steam Shower	No
Exterior Wall	Yes***
Pool, Spa or Water Feature (fully submerged)	No

Floor Application	Interior	Exterior
Shower	Yes*	Yes*
Residential	Yes	Yes*,***
Light Commercial	Yes	Yes*,***
Medium Commercial	Yes	Yes*,***

Application Notes

* With proper sealing and maintenance per setting material and sealer manufacturer recommendations.

** Acceptable for limited and sporadic exposure near open flame or heat source, including fireplace wall/cooktop surround. It is not recommended for placement inside a firebox.

*** **ONLY** acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing.

■ For best outcomes, natural stone in a shower floor application should be installed with a weep system around the drain. See TCNA B-414, B-415, B-441, B-420, B-426, B-431, and B-421-22. As natural stone tile performance in a shower floor environment is affected by installation methods, Driftwood Design Lab is not responsible for the darkening or delamination of tiles installed on a shower floor.

Floor Application Definitions

Light Residential - For residential areas with light foot traffic. It can include a bathroom, bedroom, formal dining, and living room. Please note the following: suitable for soft soled shoes, hard soled shoes and heels should be avoided. The floor must be kept clean from abrasive debris (gravel, mud, salt, etc.) Immediately clean all stains.

Residential - For residential areas with continuous foot traffic. It can include entry, hallway, kitchen, foyer, laundry, and mud rooms. Please note the following: the floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.

Light Commercial - For commercial areas with light foot traffic. It can include commercial offices, doctor's offices, and boutiques. Please note the following: The floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.

Notes

Since variations are common in natural stone tile, we recommend final selection be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. All Mélange Limestone tiles must be sealed before grouting with a high-quality penetrating sealer. Installation constitutes acceptance. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed).

MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner or any non-abrasive cleaning solutions.

*Refer pages 4 & 5

Variation, Usage & Technical Information - Mixed Material Mosaics

Variation

Mélange Mosaic tiles are made entirely by hand from Natural Stone, Terracotta and Zellige. Each piece/sheet will show variation in color and texture. The following characteristics are intended in this product and are part of its overall aesthetic.

- Chips off the surface of the tile, exposing clay underneath
- Uneven edging of the tile
- Wide variation in color and shade
- Lime pops that expose the substrate
- Thickness variation
- Size variation from piece to piece

Variation between samples and tiles received is possible, as handmade techniques of glazing make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only. Driftwood Design Lab will not honor any claims made for these characteristics listed above if claimed as defects.

Mélange Mosaics - Recommended Usage

Wall Application	Suitable
Interior Wall/Backsplash	Yes*
Fireplace/Cooktop Surround	Yes**
Shower Wall	Yes*
Steam Shower	No
Exterior Wall	Yes***
Pool, Spa or Water Feature (fully submerged)	No

Floor Application	Interior	Exterior
Shower	No	No
Light Residential	Yes	Yes*,***
Residential	Yes	Yes*,***
Light Commercial	Yes	Yes*,***

Application Notes	Floor Application Definitions
* With proper sealing and maintenance per setting material and sealer manufacturer recommendations. ** Acceptable for limited and sporadic exposure near open flame or heat source, including fireplace wall/cooktop surround. It is not recommended for placement inside a firebox. *** **ONLY** acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing. Outdoor Residential Floors - Note: when used for an exterior floor Mélange Mosaics will develop a natural patina over time and is to be expected. Chipping, cracking and increased wear are natural when placed in an exterior environment.	Light Residential - For residential areas with light foot traffic. It can include a bathroom, bedroom, formal dining, and living room. Please note the following: suitable for soft soled shoes, hard soled shoes and heels should be avoided. The floor must be kept clean from abrasive debris (gravel, mud, salt, etc.) Immediately clean all stains. Residential - For residential areas with continuous foot traffic. It can include entry, hallway, kitchen, foyer, laundry, and mud rooms. Please note the following: the floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains. Light Commercial - For commercial areas with light foot traffic. It can include commercial offices, doctor's offices, and boutiques. Please note the following: The floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.

Notes

Since variations are common in handmade mosaic tiles, we recommend final selection be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. All Mélange Cotto and Limestone tiles must be sealed before grouting with a high-quality penetrating sealer. Installation constitutes acceptance. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed).

MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner or any non-abrasive cleaning solutions.

*Refer pages 4 & 5

Material Components for Mosaics

Material		Zellige				Terracotta		Sto n e			
Pattern	Color	Blanco Puro	Latte	Berber	Peltro	Blonde Cotto	Rouge Cotto	Gris	Luberon	Noir	
MOSAICS (With Multiple Materials)											
Carthage	Berber					•	•		•		
Carthage	Latte		•			•			•		
Carthage	Sable				•			•		•	
Ostia	Berber					•	•		•		
Ostia	Blanc Gris	•			•			•			
Ostia	Latte		•			•			•		
Palermo	Berber						•		•		
Palermo	Latte		•						•		
Palermo	Sand			•		•					
Provence	Blanc Gris	•						•			
Provence	Jaune Noir					•				•	
Provence	Latte		•						•		
Sevilla	Blanc Gris	•						•			
Sevilla	Latte		•						•		
Sevilla	Noir Rouge						•			•	
Tangier	Berber			•		•	•		•		
Tangier	Blanc Gris		•		•			•			
Tangier	Latte		•	•		•			•		

Material & Usage Overview

Material					Wall Application				Floor Application					
Pattern	Color	Stone	Terracotta	Zellige	Interior Wall/ Backsplash	Steam Shower	Shower Wall	Exterior Wall	Light Residential	Residential	Light Commercial	Medium Commercial	Shower Floor	
FIELD														
3" x 10"	Gris	•			•		•	•	•	•	•	•	•	
3" x 10"	Luberon	•			•		•	•	•	•	•	•	•	
3" x 10"	Noir	•			•		•	•	•	•	•	•	•	
Herringbone	Gris	•			•		•	•	•	•	•	•	•	
Herringbone	Luberon	•			•		•	•	•	•	•	•	•	
Herringbone	Noir	•			•		•	•	•	•	•	•	•	
Picket 4" x 10"	Gris	•			•		•	•	•	•	•	•	•	
Picket 4" x 10"	Luberon	•			•		•	•	•	•	•	•	•	
Picket 4" x 10"	Noir	•			•		•	•	•	•	•	•	•	
4" x 4" Field	Berber			•	•		•	•	•					
4" x 4" Field	Blanco Puro			•	•		•	•	•					
4" x 4" Field	Blonde		•		•		•	•	•		•			
4" x 4" Field	Cotto Gris	•			•		•	•	•	•	•	•	•	
4" x 4" Field	Latte			•	•		•	•	•					
4" x 4" Field	Luberon	•			•		•	•	•	•	•	•	•	
4" x 4" Field	Noir	•			•		•	•	•	•	•	•	•	
4" x 4" Field	Peltro			•	•		•	•	•					
4" x 4" Field	Rouge Cotto		•		•		•	•	•		•			
TRIM														
Trim	Berber			•	•		•	•						
Trim	Blanco Puro			•	•		•	•						
Trim	Blonde Cotto		•		•		•	•						
Trim	Gris	•			•		•	•						
Trim	Latte			•	•		•	•						
Trim	Luberon	•			•		•	•						
Trim	Noir	•			•		•	•						
Trim	Peltro			•	•		•	•						
Trim	Rouge Cotto		•		•		•	•						
MOSAICS (With Multiple Materials)														
Carthage	Berber	•	•		•		•	•	•	•	•			
Carthage	Latte	•	•	•	•		•	•	•	•	•			
Carthage	Sable	•		•	•		•	•	•	•	•			
Ostia	Berber	•	•		•		•	•	•	•	•			
Ostia	Blanc Gris	•		•	•		•	•	•	•	•			
Ostia	Latte	•	•	•	•		•	•	•	•	•			
Palermo	Berber	•	•		•		•	•	•	•	•			
Palermo	Latte	•		•	•		•	•	•	•	•			
Palermo	Sand		•	•	•		•	•	•	•	•			
Provence	Blanc Gris	•		•	•		•	•	•	•	•			
Provence	Jaune Noir	•	•		•		•	•	•	•	•			
Provence	Latte	•		•	•		•	•	•	•	•			
Sevilla	Blanc Gris	•		•	•		•	•	•	•	•			
Sevilla	Latte	•		•	•		•	•	•	•	•			
Sevilla	Noir Rouge	•	•		•		•	•	•	•	•			
Tangier	Berber	•	•	•	•		•	•	•	•	•			
Tangier	Blanc Gris	•		•	•		•	•	•	•	•			
Tangier	Latte	•	•	•										

DECO-TILE

STAY CONNECTED

-

www.decotile.com

@decotile

Locations

Toronto

Head Office + Warehouse

143 Tycos Dr.

Toronto, ON M6B 1W6

416 413 7985

Oakville

Showroom

550 Speers Rd. Unit #2

Oakville, ON L6K 2G3

905 582 7985